



**NEW MANGALORE PORT AUTHORITY
MECHANICAL ENGINEERING DEPARTMENT**

e-TENDER NO. CME-08/2023-24 dated 18/07/2023

GeM Bid No: GEM/2023/B/3693741 dated 18/07/2023

PRE-BID REPLIES

Clarifications for queries raised by the firms in connection with the Tender “**RATE CONTRACT FOR HIRING XEROX MACHINES TO VARIOUS DEPARTMENTS OF NMPA FOR A PERIOD OF 5 YEARS**”.

The clarifications shall constitute a part of the Tender Document for all purposes and one set should be uploaded duly signed and stamped on each and every page, along with the Tender Document.

SI No	Description of Query	Clarification/ Reply from NMPA
1	With regard to the land border clause, you have asked to submit DPIIT Certificate. However, we would like to know in the absence of DPIIT certificate do you required any deceleration with regard to the "COUNTRY OF ORIGIN" for the product quoted.	DPIIT Certification is applicable if the bidder is from a country which shares land border with India.
2	In the tender, it is mentioned that machine quoted should be less than 2 years, in this connection we would like to highlight here that the health/condition of the machine can not be determined only by age, but by the number of copies taken in the machine. for example - 1)a machine less than 2 years old, but taken 5 lac copies. 2) a machine is 3 years old but has taken less than 2 lac copies from the above example, 2 machines which have taken 2 lac copies will be healthier and good for trouble-free operation. Hence a number of copies also should be specified in your tender so that you get a machine in reasonably good condition. our request if change the clause as below: the machine quoted should be less than 2 years or the machine quoted should have taken less than 2 lac copies..	Tender Condition prevails.

Sd/-
Superintending Engineer(M)
NMPA, Panambur