



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/4682330  
Dated/दिनांक : 01-03-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	22-03-2024 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	22-03-2024 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Ports, Shipping And Waterways
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	New Mangalore Port Trust Panambur Mangalore Karnataka
Office Name/कार्यालय का नाम	Panambur
Total Quantity/कुल मात्रा	45
Item Category/मद केटेगरी	Modular Metal Drawer File Cabinet Pedestal (Q3) , Executive Table (V2) (Q3) , Modular Work Stations (V2) (Q3) , Pannel base workstation (Linear table - L1500 x W600 X H750/1200mm Ht, (Q3) , Linear Modular Workstation: Pannel base workstation (Q3) , Revolving Chair (V3) (Q2) , Chair Office (V2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

<b>Bid Details/बिड विवरण</b>	
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Modular Metal Drawer File Cabinet Pedestal
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	900063
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

#### **EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	21250

#### **ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	15

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### **Beneficiary/लाभार्थी :**

The Board of New Mangalore Port Authority  
Panambur, NA, New Mangalore Port Trust Panambur Mangalore Karnataka, Ministry of Ports, Shipping and Waterways  
(The Board Of New Mangalore Port Authority, A Body Constituted Under Major Port Authorities Act 2021)

#### **Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## Modular Metal Drawer File Cabinet Pedestal ( 9 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Product consists of</b>	File drawer and Box drawer both
	<b>Number of File drawers</b>	1.0 - 8.0 Or higher
	<b>Number of Box drawers</b>	2.0 - 4.0 Or higher
	<b>Partition in File drawer</b>	No
	<b>Partition in Box drawer</b>	No
	<b>Pencil tray</b>	Available (plastic), Not available
	<b>Lock System</b>	Central locking system with Cam lock and central right handed locking with actuator lever and locking channel mechanism
	<b>Mounted below type</b>	Castor
DIMENSIONS	<b>Overall height</b>	650.0 - 900.0 Or higher (millimeter)
	<b>Overall width</b>	400 - 750 (millimeter)
	<b>Overall depth</b>	300 - 500 (millimeter)
MATERIAL and THICKNESS	<b>Body shell thickness</b>	0.6 - 1.2 (millimeter)
	<b>Bottom thickness</b>	0.6 - 1.2 (millimeter)
	<b>Pedestal side stiffeners thickness</b>	0.6 - 1.2 (millimeter)
	<b>Additional decorative Pedestal Top thickness Hint : select '0' if not applicable</b>	0 - 18 (millimeter)
	<b>File/Box drawer front thickness</b>	0.5 - 1.2 (millimeter)
	<b>Additional decorative File/Box drawer Front thickness Hint : select '0' if not applicable</b>	0 - 18 (millimeter)
	<b>File/Box drawer Tray and Back thickness</b>	0.4 - 1 (millimeter)
WARRANTY	<b>Warranty in number of years</b>	1 - 3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	9	45

**Executive Table (V2) ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Gable end and modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Provided, Not provided
	<b>Footrest</b>	Provided, Not Provided
MATERIAL	<b>Tabletop Material</b>	MDF board of grade SBG II of IS 12406/Latest
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	MDF and veneer with PU finish having scratch resistance of 2H
	<b>The thickness of the gable end</b>	18 mm
	<b>Modesty panel material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>The thickness of the modesty panel material</b>	18 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	0.5 mm, 0.8 mm, 0.9 mm, 1 mm, 1.2 mm, 1.4 mm, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	<b>Width of tabletop ±10 mm</b>	900 mm, 1000 mm, 1050 mm, 1100 mm, 1200 mm, 1280 mm, 1300 mm, 1350 mm, 1375 mm, 1500 mm, 1550 mm, 1650 mm, 1800 mm, 1850 mm, 1950 mm, 2000 mm, 2100 mm, 2200 mm, 2300 mm, 2400 mm, 3300 mm
	<b>Depth of table ±10 mm</b>	1100 mm
	<b>Height of table ±10 mm</b>	750 mm
	<b>Size (L x W) /diameter of leg material ± 5 mm</b>	25 x 25 (mm), 30 x 30 (mm), 40 x 40 (mm), 20 x 40 (mm), 25 x 40 (mm), 20 x 60 (mm), 60 x 30 (mm), 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, NA
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	1 drawer, 2 drawers, 3 drawers, 4 drawers, 1 storage unit with shutter, 2 storage units with shutter, 1 storage unit without shutter, No ERU
	Height of ERU unit ± 5 mm	690 mm
	ERU side panel material	MDF and veneer with PU finish having scratch resistance of 2H
	ERU side panel Thickness ± 2 mm	18 mm
	ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	One drawer, Two drawers, Three drawers, Four drawers, One storage, Two storage, No Pedestal unit
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Paint, Teak laminate/ply with polish, Teak laminate/ply with melamine finish, 1 mm mica lamination, Teak Veneer/teak wood with melamine polish (walnut), 3/3.5 mm thick veneer finish a per buyer choice, Minimum 0.8 to 1 mm PVC membrane finish, NA
	<b>Tabletop shade</b>	Peach, Teak, Oak, Gray, Oxford cherry, Dark walnut, Frosty white, Teak Veneer/teak wood with melamine polish (walnut), Natural Shade, White, As per Buyer's choice, NA
	<b>Table /ERU /Pedestal Panel Plain Side</b>	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	<b>Warranty period</b>	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
CERTIFICATION	<b>Test reports to be furnished to the buyer on demand</b>	Yes, No

**Additional Specification Parameters - Executive Table (V2) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Table Dimension	W X D X H 2400mm x 1100 mm x 750mm

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	1	45

**Executive Table (V2) ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Gable end and modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit and E.R.U
	<b>Keyboard tray</b>	Provided
	<b>Footrest</b>	Provided, Not Provided
MATERIAL	<b>Tabletop Material</b>	MDF board of grade SBG II of IS 12406/Latest, Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Prelaminated MDF board, Plywood Conforming to IS 303, Teak wood, Glass
	<b>Thickness of table top material (± 1 mm)</b>	25 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Gable end material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Perforated MS sheet, Plywood Conforming to IS 303, MDF and veneer with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, MDF batons with natural veneer, NA
	<b>The thickness of the gable end</b>	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1.2 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm, NA
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1.2 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm
	<b>Leg Material</b>	Teak wood, Carved teak wood, Seasoned Sheesham, Mild Steel (MS) ERW, GI pipe, SS 304, SS 202, CRC square pipe with powder coated finish as per approved shade, NA
	<b>The thickness of the Leg material</b>	0.5 mm, 0.8 mm, 0.9 mm, 1 mm, 1.2 mm, 1.4 mm, NA
DIMENSION	<b>Width of tabletop ±10 mm</b>	900 mm, 1000 mm, 1050 mm, 1100 mm, 1200 mm, 1280 mm, 1300 mm, 1350 mm, 1375 mm, 1500 mm, 1550 mm, 1650 mm, 1800 mm, 1850 mm, 1950 mm, 2000 mm, 2100 mm, 2200 mm, 2300 mm, 2400 mm, 3300 mm
	<b>Depth of table ±10 mm</b>	750 mm, 1100 mm
	<b>Height of table ±10 mm</b>	750 mm
	<b>Size (L x W) /diameter of leg material ± 5 mm</b>	25 x 25 (mm), 30 x 30 (mm), 40 x 40 (mm), 20 x 40 (mm), 25 x 40 (mm), 20 x 60 (mm), 60 x 30 (mm), 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, NA
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	1 drawer, 2 drawers, 3 drawers, 4 drawers, 1 storage unit with shutter, 2 storage units with shutter, 1 storage unit without shutter, No ERU
	Height of ERU unit ± 5 mm	530 mm, 650 mm
	ERU side panel material	MDF and veneer with PU finish having scratch resistance of 2H
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	One drawer, Two drawers, Three drawers, Four drawers, One storage, Two storage, No Pedestal unit
	Back Panel Thickness in Pedestal Unit	11 mm, 18 mm



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Paint, Teak laminate/ply with polish, Teak laminate/ply with melamine finish, 1 mm mica lamination, Teak Veneer/teak wood with melamine polish (walnut), 3/3.5 mm thick veneer finish a per buyer choice, Minimum 0.8 to 1 mm PVC membrane finish, NA
	<b>Tabletop shade</b>	Peach, Teak, Oak, Gray, Oxford cherry, Dark walnut, Frosty white, Teak Veneer/teak wood with melamine polish (walnut), Natural Shade, White, As per Buyer's choice, NA
	<b>Table /ERU /Pedestal Panel Plain Side</b>	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue, Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue, CP Teak Wood Lipping, NA
WARRANTY	<b>Warranty period</b>	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
CERTIFICATION	<b>Test reports to be furnished to the buyer on demand</b>	Yes, No

**Additional Specification Parameters - Executive Table (V2) ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Table Size	(Table - 1500 X750X 750mm Ht, Side storage -900 x 450 x 50mm Ht)

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	5	45

### Modular Work Stations (V2) ( 1 per seat )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Type of system</b>	Tile based system (shape fit tiles), Hybrid panel based system (combination of sliding & snap fit tiles), Desk based system, Storage based system, Panel based system
	<b>Type / Shape of cluster</b>	Single Seater L Shape Cluster, Single Seater Rectangular Cluster, Single Seater Rectangular Cluster with Back to Back sitting, Double Seater C shape Cluster with Curvilinear Top, Double Seater T shape Cluster with Curvilinear Top, Double Seater Rectangular shape Cluster with Side By Side sitting, Double Seater Rectangular shape Cluster with Back to Back sitting, Four Seater H Shape Cluster with Curvilinear Top, Four Seater Plus Shape Cluster with Curvilinear Top, Four Seater Rectangular Cluster with Straight Line Side by Side Sitting, Four Seater Rectangular Cluster with 2 X 2 Opposite Sitting, Six Seater Rectangular Cluster with 3 X 3 Opposite Sitting, Three seater Rectangular cluster
CONSTRUCTION	<b>Wire Management for electric switch</b>	Skirting race-way, Mounted on bottom tile or back, Below table top by cable trays, Above the table Top, Below table top
INSTALLATION COMMISSIONING	<b>INSTALLATION COMMISSIONING</b>	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
MATERIAL	<b>Frame material for work station</b>	Powder coated CRCA hollow system, Powder Coated Extruded Aluminium Sections, MS tube section
	<b>Work top support material</b>	Gable end made of prelaminate particle board
	<b>Material of table top</b>	Prelaminated particle board Grade I type II conforming to IS 12823/Latest
	<b>Table top finish material</b>	PVC, Paper based laminate, PU coat, Membrane, Veneer, Prelaminated, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Thickness of table top finish</b>	0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA
	<b>Thickness of under table top finish</b>	0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA
	<b>Material of tiles for top</b>	Fabric upholstered with Foam and Prelaminated particle board, Laminate, Fabric tackable, Fabric magnetic, Glass Writing board, Back painted glass tiles, Plain glass tiles, White Board, NA
	<b>Material of intermediate tiles</b>	Fabric upholstered with Foam and Prelaminated particle board, laminate, White Board, Sandwich coloured glass screen with powder coated metal brackets, laminated block - 38mm thick paper honeycomb plus 3mm mdf on each side plus decorative laminate, NA
	<b>Material of bottom tiles</b>	Metal tile powder coated, Prelaminated particle board tile, Commercial Block Board BWP grade tile, Decorative Block Board BWP grade tile, Commercial Block Board MR Grade tile, Decorative Block Board MR Grade tile, Fabric Tile, NA
	<b>Material of leg</b>	CRCA steel Conforming to is 513 latest, ERW tube Conforming to IS 3074, ERW tube Conforming to IS 4923, Stainless Steel 202, Stainless Steel 304, Aluminium, Prelaminated particle board Conforming to is 12823/latest, M.S, NA
	<b>Type of leg</b>	Loop leg, Inverted U leg, Tapered Leg, Pole Type, NA
	<b>Screen/Divider Material</b>	Fabric tackable, Fabric magnetic, Decorative laminate, Laminated Glass, Plain Glass, Sadwiched Glass, White Marker Screen, Prelaminated particle board divider, Acrylic,Acoustic divider, NA
	<b>Overhead Storage Provided</b>	No Overhead Storage
DIMENSION	<b>Length of table top (main frame) ±10 mm</b>	1000 mm
	<b>Length of table top (Return Frame)± 10mm</b>	1050 mm
	<b>Depth of table top ± 10mm</b>	750 mm
	Height of table top ±10mm	760 mm
	<b>Thickness of table top ±2mm</b>	25 mm
	<b>Overall height of work station partition ±10mm</b>	1250 mm
	<b>Thickness of side partition/panel ±2mm</b>	40 mm
	<b>Thickness of main frame ±2 mm</b>	15 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>leg size/Section</b>	40 mm x 40 mm, 50 mm x 50 mm, 40 mm x 20 mm, 60 mm x 20 mm, 60 mm x 25 mm, 60 mm x 30 mm, 50 mm x 25 mm, 18 mm Dia, 25 mm Dia, 45 mm Dia, 50 mm Dia, NA
	<b>Thickness of leg/section /material</b>	14 gauge, 16 gauge, 18 gauge, 20 gauge, 22 gauge, 18 mm, 25 mm, NA
KEYBOARD TRAY	<b>Material of keyboard tray</b>	Stainless steel, CRCA, Plastic PVC, Prelaminated particle board, Prelaminated MDF board, NA
	<b>Material thickness of keyboard tray</b>	0.8 mm ( for metal), 0.9 mm ( for metal), 1 mm (for metal), 1-3 mm(For plastics), 18 mm, 25 mm, NA
PEDESTAL UNIT	<b>Total number of Pedestal unit provided</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, NA
	<b>Construction of pedestal</b>	Top supporting, Free standing full height with castor, free standing low height with castor, Free standing full height without castor, free standing low height without castor, NA
	<b>Total Number of drawers /storage in Pedestal units</b>	One drawer, Two drawers, Three drawers, Four drawers, One shutter, Two shutter, No Pedestal unit
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	Yes, No
WARRANTY	<b>Warranty period</b>	1 Year, 2 Years, 3 Years, 4 Years, 5 Years

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	1	45

**Pannel Base Workstation (Linear Table - L1500 X W600 X H750/1200mm Ht, ( 8 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Buyer Specification  
Document/क्रेता विशिष्टि दस्तावेज़

[Download](#)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	8	45

**Linear Modular Workstation: Pannel Base Workstation ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Buyer Specification  
Document/क्रेता विशिष्टि दस्तावेज़

[Download](#)

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	1	45

**Revolving Chair (V3) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Knee tilt Synchronic mechanism
	<b>Locking mechanism</b>	Upright locking
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Adjustable (up and down), Fixed
	Seat depth adjustment	Adjustable, Fixed type
	<b>Backrest type</b>	Tilting type, Fixed type
	Backrest support type	Adjustable lumber support, Contoured Back
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Glass Fiber Nylon, Mild Steel, Stainless Steel, Aluminium die Cast, Wooden clad with Mild Steel, Nylon, Chrome
	<b>Armrest Material</b>	Thermoplastic elastomers, PU molded over plastic inner, PU molded over metal insert, MS Arms with ABS arm top, No armrest
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter, 50 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm, 50 mm
	<b>Seat upholstery material</b>	Mesh fabrics
	<b>Backrest base frame material</b>	Thermoplastic elastomer frame with insert in two-piece, Hot pressed plywood
	<b>Padding at backrest</b>	PU foam, NA
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter, NA
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm, 45 mm, NA
	<b>Backrest upholstery material</b>	Mesh fabrics
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	0.7 to 1.5 mm (for leather /leatherette), Minimum 200 GSM (for Woven fabric)
DIMENSION	<b>Minimum width of seat</b>	400 mm, 450 mm, 500 mm
	<b>Minimum depth of seat</b>	400 mm, 450 mm
	<b>Minimum width of backrest</b>	400 mm, 450 mm
	<b>Backrest height</b>	Mid back (451 to 550 mm)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm, 3 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum pedestal size (diameter)	650 mm, 730 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black
	Finish of exposed metal parts	Powder coated, Not Applicable
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	Yes, No
	BIFMA membership	Yes, No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	10	45

**Revolving Chair (V3) ( 6 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Tilt working with torsion bar mechanism
	Locking mechanism	Upright locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Backrest type</b>	Fixed type
	Backrest support type	Adjustable lumber support, Contoured Back
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Glass Fiber Nylon, Mild Steel, Stainless Steel, Aluminium die Cast, Wooden clad with Mild Steel, Nylon, Chrome
	<b>Armrest Material</b>	PU molded over metal insert
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter, 50 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm, 50 mm
	<b>Seat upholstery material</b>	Mesh fabrics, 100 % Polyester fabric
	<b>Backrest base frame material</b>	Thermoplastic elastomer frame with insert in one piece, Thermoplastic elastomer frame with insert in two-piece, Thermoplastic elastomer frame without insert in one piece, Thermoplastic elastomer frame without insert in two-piece, Hot pressed plywood
	<b>Padding at backrest</b>	Memory foam, PU foam, NA
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter, NA
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm, 45 mm, NA
	<b>Backrest upholstery material</b>	Mesh fabrics, Leather, Leatherette, 100 % Polyester fabric
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	0.7 to 1.5 mm (for leather /leatherette), Minimum 200 GSM (for Woven fabric)
DIMENSION	<b>Minimum width of seat</b>	500 mm
	<b>Minimum depth of seat</b>	450 mm
	<b>Minimum width of backrest</b>	450 mm
	<b>Backrest height</b>	Mid back (451 to 550 mm), High back (551 and above)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm, 3 mm
	<b>Minimum pedestal size (diameter)</b>	650 mm
COLOUR AND FINISH	<b>Upholstered material seat color</b>	Black
	<b>Upholstered material backrest color</b>	Black



**Additional Specification Parameters - Revolving Chair (V3) ( 6 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
General Spec	High back chair with Head rest

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	6	45

**Chair Office (V2) ( 4 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Chair Type</b>	Non-Revolving and Non-Tilting chair with Armrest
	<b>Chair frame type</b>	Legs
	<b>Armrest type</b>	Moulded Armrest mounted to Frame
	<b>Seat type</b>	Moulded, Padded
	<b>Backrest type</b>	Moulded, Padded
CHAIR FRAME	<b>Frame Material Configuration</b>	One piece
	<b>Frame material</b>	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	<b>Seat material</b>	Moulded Plywood
	<b>Seat material thickness</b>	1 mm, 1.6 mm, 12 mm, 15 mm, 18 mm, 20 mm, 30 mm, 35 mm, 40 mm, 25 mm
	<b>Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)</b>	32, 35, 40, 45, N.A, 55, 70

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Seat upholstered with</b>	Fabric, Mesh Fabric
	<b>GSM of seat cover (± 3 GSM)</b>	80 GSM, 220 GSM, 250 GSM, 390 GSM, N.A
BACKREST FABRICATION	<b>Backrest material</b>	Single piece of Cold Reduced Carbon Steel Sheet Confmg. to grade CR0 of IS:513 part 1 (with Latest amendment), Single piece of Hot Rolled Carbon Steel Sheet Confmg. to grade HR0 of IS:1079 (with Latest Amendment), Aluminium Sheet Confmg. to IS: 737 (with latest Amendment), Moulded Plywood, Wood, Polythene cane Confmg. to IS 5378-1994 (with latest amendment) with wooden frame, Mesh with support of injection moulded polypropylene (P.P), Mesh with support of injection moulded Polyurethane (P.U)
	<b>Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)</b>	32, 35, 40, 45, N.A, 55, 70
	<b>Backrest upholstered with</b>	Fabric, Mesh Fabric
DIMENSION	<b>Seat Depth (± 5 mm)</b>	500 mm
	<b>Seat Width (± 5 mm)</b>	600 mm
	<b>Seat height from floor surface (± 5 mm)</b>	435 mm, 455 mm, 475 mm, 495 mm, 515 mm, 525 mm, 740 mm
	<b>Backrest width (± 5 mm)</b>	530 mm
	<b>Backrest height from seat (± 5 mm)</b>	480 mm
COLOUR AND FINISH	<b>Paint Type</b>	Oil paint, Emulsion Paint, Enamel Paint, Bituminous Paint, Aluminium Paint, Anti-Corrosive Paint, Chrome Paint, Epoxy, As per Buyer's Requirement (to be indicated during bid creation), N.A
	<b>Polish Type</b>	Wax Polish, Transparent glossy French Polish, Stained dark and Polish, Lacquered, As per Buyer's Requirement (to be indicated during bid creation), N.A
	<b>Colour of Paint</b>	Black, Brown, Gray, White, Teak Shade, Biscuit, Wooden, As per Buyer's Requirement (to be indicated during bid creation), N.A
TEST REPORT AND CERTIFICATION	<b>Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification</b>	Yes, No
	<b>Test reports to be furnished to buyer on demand</b>	Yes, N.A

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinayaraj C G	575010,New Mangalore Port Trust Panambur Mangalore	4	45

**Special terms and conditions-Version:1 effective from 29-03-2023 for category Modular Work Stations (V2)**

1. After award of contract- Successful bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**