नव मेंगलोर पत्तन प्राधिकरण / NEW MANGALORE PORT AUTHORITY

सिविल एंगिनीरिंग विभग / DEPARTMENT OF CIVIL ENGINEERING अनुरक्षन प्रभाग –I / MAINTENANCE DIVISION-I

QUOTATION No.3/262/CIVIL/Mtc-I/2025-TS dated 29.04.2025

निम्नलिखित कार्य के लिए प्रतिष्ठित एवं अनुभवी ठेकेदारों या फर्म से प्रतिशत दर के आधार पर मुहरबंद कोटेशन आमंत्रित किए जाते हैं;

Sealed quotations are invited on percentage rate basis from the reputed and experienced contractors for Electro Mechanical works for Supply, erection and commissioning of pumpset works;

काये का नाम;

Name of work

अनुमानित लागत /Estimated Cost

ईएमडी /EMD खुलने की तिथि /Date of opening समापन अवधि /Completion Period

: 3-टन चेन पुली असेंबली के साथ एमएस। बीम सेक्शन के डिस्मेंटलिंग प्रकार के नेटवर्क की डिजाइनिंग, निर्माण और आपूर्ति, थिम्मप्पय्या कुएं के निचले स्तर के पंप : Designing, fabricating and supplying of dismantling type network of MS I Beam sections with a 3-Ton Chain पंप तक पंप सेटों की मरम्मत, स्थानांतरण और स्थापना शामिल है। हाउस में नए बेस फ्रेम का निर्माण और आपूर्ति, जिसमें उच्च स्तर से निचले स्तर के frame at lower level pump house of Thimmappayya well assembly, fabricating and supply of new

: Rs.164,000.00

including repairs shifting and installation of Pump sets

from Higher level to lower level pump.

: Rs.3,875.00 : 02.05.2025 : 30 days

floor on or before 3.00 P.M. on 02.05.2025 and will be opened at 3.30P.M on the same specification and other particulars are enclosed. The NMPA reserves the right to accept or reject quotation without assigning reasons thereof. in the presence of the bidders or their authorized representatives. The BOQ, The quotation shall be dropped in the tender box placed in A.O. building ground

quotation. The benefit of exemption of EMD to all Micro and Small Enterprises (MSE) shall FA&CAO, NMPA and copy of the NEFT/RTGS receipt shall be enclosed along with the entertained. be enclosed. The quotation without copy of receipt of RTGS/NEFT/Certificate will not be be allowed. The proof of being MSE registered with District Industries Centers (DIC) shall Earnest Money Deposit shall be paid through NEFT/RTGS in favour of

NMPA Bank Details for remittance of Tender fee and EMD.

- Name of the Bank: State Bank of India, Panambur, Mangalore 575 010 Bank A/C No. 10205649448
- IFSC Code: SBIN0002249
- MICR Code: 575002011

plants, transportation, machinery etc. complete. GST will be reimbursed as applicable. in the enclosed BOQ. The percentage rate quoted shall be inclusive of labour, tool and recovered from the bill Payment will be made after satisfactory completion of work and applicable taxes will be The Contractor shall write the percentage rate in figures as well as in words clearly

bidder's letter head having GST/Pan. The offer submitted should be open for acceptance value and sign all the pages of the contract form including Plan(s) enclosed to the same. execute an agreement/undertaking in the prescribed form on a stamp paper of required for a period of 90 days from the date of opening the same. The successful bidder shall The Contractor shall submit the quotation accompanied with covering letter on

कार्यकारी अभियंता (सिविल) / Executive Engineer (Civil), रखरखाव प्रभाग-[/ Maintenance Division-I Shashi

नव मेंगलोर पत्तन प्राधिकरण / NEW MANGALORE PORT AUTHORITY

कोटेशन/QUOTATION No.3/262/CIVIL/Mtc-I/2025-TS dated 29.04.2025 सिविल एंगिनीरिंग विभग / DEPARTMENT OF CIVIL ENGINEERING अनुरक्षन प्रभाग –I / MAINTENANCE DIVISION-I

BILL OF QUANTITIES

कार्य का नाम : 3-टन चेन पुली असेंबली के साथ एमएस । बीम सेक्शन के डिस्मेंटलिंग प्रकार के नेटवर्क की डिजाइनिंग, निर्माण और आपूर्ति, थिम्मप्पय्या कुएं के निचले स्तर के पंप हाउस में नए बेस फ्रेम का निर्माण और आपूर्ति, जिसमें उच्च स्तर से निचले स्तर के पंप तक पंप सेटों की मरम्मत, स्थानांतरण और स्थापना शामिल है।

Name of work: Designing, fabricating and supplying of dismantling type network of MS I Beam sections with a 3-Ton Chain pulley assembly, fabricating and supply of new base frame at lower level pump house of Thimmappayya well including repairs shifting and installation of Pump sets from Higher level to lower level pump

certification and approvals. Authorities after obtaining necessary and shall be handed over to the NMPA specification and safety requirements to ensure compliance with designed network shall be inspected and tested alignment and prevent any accidents beams, and shall include provision of minimum load of 3000 kg, fabricated necessary fasteners to ensure proper height of 4 minimum NMPA Colony. The MS I Beam section conditions of dismantling type netwrk of MS Designing beam network shall be installed at a from IS 2062 grade steel and have a pulley assembly(mechanical hoist) for damage. be with pumping sections with a 3-Ton Chain Description of items maintenance designed to at all thickness fabricating and supplying bolt meters above The machinery nuts pump houses of installed for of and fla support the 1.00 Qty Job Unit 69000.00 **Figures** Rate in 69,000.00 Amount .00

Providing	Providing an fixing/ construction of a	1.00	Job	58500.00
Heavy –	Heavy -duty common CI/MS base plate for a 75HP Kriloskar make end		,	
suction	suction high-speed motor pump set,			
complete	complete with suitable I" section			
girders,	girders, channels, plates bolts and			
and cor	and constructed to withstand the			
weight an	weight and operational stresses of the			
pump s	pump set and shall be securely			
anchorec	anchored to a reinforced concrete			
(CC) bec				
foundation	on work shall include			
excavatio	excavation, laying of reinforcement			
steel and	steel and concreted pouring, as per			
the dire	the direction of the engineer-in			
charge. ')	charge. The entire assembly shall be			

Rupees:		LESS: Below t Rs.	ADD: Above t Rs.		mote pur worn bear reas bass align delivithe such fabr The com This made reas test projection and said mote the and the and said mote the and the and said mote the and	
	Total Amount Rs.	LESS: % (Below the estimate amount put to quotation Rs.	ADD: % (Above the estimate amount put to quotation. Rs.	Amount put t	motor-driven 2880 RPM end suction pump set including replacement of worn-out shaft sleeve, gland rope and bearing. The pump set shall be reassembled and installed on a new base frame, ensuring proper alignment and secure anchorage. The delivery bend shall be connected to the rising main pipeline and the suction shall be connected to a fabricated flanged end distance piece. The entire assembly shall be completed including trail run at Thimmappayya well old pump house. The repair work shall be include but not limited to inspection and replacement of worn-out parts, remachining of shaft and sleeve, reassembly of pump and motor and testing of the pump set to ensure proper operation and performance. The work shall be carried out as per the manufactures recommendations and good engineering practices. The said job also includes the shifting o motor pumpset from new pump house to lower level old pump house.	gned an le eration of t completed nufactures od engineer
		n)		to quotatio		
		*		n (exclu		
				Amount put to quotation (excluding GST) Rs. :		
				1,64,000.00		

Note: GST will be reimbursed as applicable

SIGNATURE OF THE CONTRACTOR