

## ਨੜ ಮಂಗಳೂರು ಬಂದರು ಮಂಡಳಿ नव मंगलूर पत्तन न्यास NEW MANGALORE PORT TRUST



भारत सरकार (पत्तन, पोत परिवहन और जलमार्ग मंत्रालय") Govt of India (Ministry of Ports, Shipping and Waterways) ಪಣಂಬೂರು पणम्बूर Panambur/ ಮಂಗಳೂರು मंगलूर Mangalore - 575 010

3/11/EMP/CE(C)/2020-21/TS/Q1

06-09-2021

To:

K.P. SINGH
Regional Officer
Ministrŷ of Environment & Forests,
Regional Office (South Zone), 4<sup>th</sup> Floor, E&F Wings,
KendriyaSadan, 17<sup>th</sup> Main Road, II Block,
Koramangala,
BANGALORE – 560 034.

Sir,

Sub: Submission of half yearly Compliance report from October2019 to March 2020 - Environmental Clearance issued by the Ministry of Environment Forests & Climate-intimation regarding-reg

Ref: Your Letter No. No. F. No. EP/12.1/142/KAR/475 dated 23-08-2021

\*\*\*\*

With reference to the subject cited above, please find enclosed here with the revised half yearly Compliance report on stipulated environmental clearance terms and conditions along with tabulated test results on Air samples, Drinking water samples, Waste Water (STP), Noise level ,DG stack emission from October2019 to March 2020 for information.

The soft copy of same information is mailed to <u>rosz.bng-mef@nic.in</u> and <u>roszmon@yahoo.in</u> on 06-09-2021. The half yearly Compliance report from October2019 to March 2020 is uploaded in Port website <u>www.newmangaloreport.gov.in</u> on 06-09-2021.

Thanking you,

Encl: As above

Yours faithfully,

Chief Engineer (Civil)

ದೂರವಾಣಿ : ಕಚೇರಿ : 0824 -2407341

: 0824 - 2408390

फोन : कार्यालय : 0824 - 2407341

फेक्स: 0824 - 2408390

Phone: Office: 2407341 (18 Lines)

Fax : 0824-2408390

An ISO 9001:2015, 14001:2015 & ISPS Compliant Port

# Stipulated Environmental Clearances Report as per as per the Letter No. F. No. EP/12.1/142/KAR/475 dated 23-08-2021

SI. No	Specific Conditions:	Remarks
1	All construction design/drawings relating to construction activities must have the approval of the concerned State Govt. Departments/Agencies. Ground water should not be tapped for construction activities.	Statutory approval were obtained and work completed
2	Adequate provision for all infrastructural facilities such as water supply, fuel, sanitation etc. must be extended for labourers during the construction period in order to avoid damage to the environment.	During the project work provision for all infra structural facilities like water supply, Sanitation etc., was provided.
3	Dredging operations, if any, should be undertaken in consultation with either the Central Water and Power Research Station, Pune or the National Institute of Oceanography, Goa to ensure that dredging operations do not cause adverse impact on water quality and marine productivity in the vicinity. Dredging operation as far as possible should be kept to the minimum for avoiding any adverse impact on marine life.	Capital dredging operations conducted during the project work in consultation with CWPRS, Pune and all necessary precautions were taken to avoid any adverse impact on marine life
4	Disposal sites for excavated material should be so designed that the revised land use after dumping and changes in the land use pattern do not interfere with the natural damage.	The excavated material of the project work was used for Reclamation of Tannirbhavi beach and didn't interfere with natural damage
5	To meet any emergency situation, adequate foam containers should be kept ready with supporting fire fighting system and water pipeline.	Fire fighting system & water pipeline was provided at construction area  Annexure-I
6	The staff posted in sensitive areas should be trained in implementation of the Crisis Management Plan already drawn by the authorities. Mock drill(s) for this purpose should be conducted on a regular basis. Provisions of Dock Safety Act and the guidelines issued by the DG,FASLI/CLI, Bombay for the safety and health of the dock workers should be followed.	During the project work safety and health of the dock workers was considered. In-house Medical facility was provided and regularly Mock drills for different situations was provided
7	For development of green buffer including mangroves wherever feasible, the authorities should start growing large nursery of multipurpose species such as Eucalyptus, Casurine, Dalbergia, Termalia etc. The norm of about 2000-2500 trees per hectare maybe adopted for raising of green belt.	The Port developed 250 acre land near kudupu and Bondel quarry area for plantation Port has developed its own Nursery and many species such as Eucalyptus, Casurine, Dalbergia, Termalia etc were

		planted near beach side Port has developed 30% Green belt area  Annexure-II
8	To prevent discharge of sewage and other liquid wastes including ballast into marine environment, adequate system for collection, treatment and disposal of liquid wastes must be provided to the satisfaction of Karnataka Pollution Control Board.	Sewage Treatment Plant with 1.2 MLD capacity was constructed to treat the sewage and other liquid waste including ballast as per the KSPCB Annexure-III
9	Adequate noise control measures must be provided to maintain noise level at various workplaces within the standard prescribed by the competent authorities. If need be, ear plugs and ear muffs should be provided to the workers in the port area.	Accoustic DG sets were used for the project work and the Noise level was maintained within the standard as per KSPCB
10	The quality of treated effluents, solid wastes and emissions must conform to the standards laid down by the competent authority including Central/State Pollution Control Boards.	Environmental Monitoring was conducted regularly through Third party and the reports were submitted to KSPCB& MOEF&CC
	An Environmental Cell should be immediately made operational with adequate laboratory facilities, equipments and a mobile van for collecting air samples. The record and the data should be submitted with proper analysis and corrective measures required, if any, for maintaining the levels within the prescribed limits to the Regional Office of the ministry of Environment & Forests at Bangalore, which shall be monitoring these conditions stipulated for according the Environment approval. The Environmental Cell should coordinate and monitor environmental mitigative measures executed in the New Mangalore Port area.	An Environmental cell is functioned effectively to mitigate the Environmental pollution. Port is submitting the air and water quality reports to MOEF&CC and KSPCB Annexure-IV
12	Necessary leakage detection devices with early warning system must be provided at strategic locations.	Complied
13	Standby DG sets must be provided to ensure uninterrupted power supply to the pump house and the fire fighting system.	Accousted DG sets were used for the project work to supply power
14	Third party inspection should be ensured during construction and operation phases with adequate insurance cover. The project authorities should confirm on regular intervals of six months to the Ministry about the implementation of the suggested safeguard measures and the data/report should be opened for inspection by the Team which would be constituted by the Ministry, if found necessary.	KSPCB and Director, MOEF&CC, Bangalore inspected the Port and verified the compliance reports maintained by the Ports From 26-11-2021 to 30-11-2020 a performance audit on conservation of Marine Ecosystems was conducted by Mr. Bala Ravi Senior audit


		officer. Accountant General AMG-I, Bangalore & Verifies MOEF&CC compliance report
15	Full support should be extended to the Regional Office of the Ministry of Environment & Forests at Bangalore during inspection of the project monitoring purposes by the project proponents by furnishing full details and action plans including action taken report on mitigative measures.	Complied
16	Adequate funding provisions, year-wise and itemwise, must be made for implementation of the above mentioned safeguard measures.	Complied
17	No other chemical product save those mentioned in the Annex III appended to Govt. of India Notification in the Ministry of Environment & Forests, S.O. No.494 (E) dated July 9, 1997 will be allowed to handle/store in any port area.	Complied
18	The project authorities would ensure that safety regulations and guidelines issued by Oil Safety Directorate in the Govt. of India, Ministry of Petroleum & Natural Gas are implemented.	Complying with all the stipulations .
19	The approval of the Chief Controller of Explosives (CCO & E) shall be obtained for operational purpose before undertaking any storage/handling activity.	Complying with all the stipulations


Duefil Dy Hanager Environment

		Berth 10	Berth 11	Berth 12	Berth 13
Description	OISD Requirement	Bernit	Dettili	Defui iz	Detail 15
	600 m3/ hrs for water/ foam monitors ( 2 tower monitors X 5000 lpm)	.PM) provided  900 m3/hr pump is provided which is adequate and meets	- 71	900 m3/hr pump Is provided	Tower moniters ( 4 nos. X 6000 LPM) provided. 870 m3/hr pump Is provided which is adequate and meets the OISD 156 requirement
Fire water design requirement	8 X 1.5" (690 LPM each) and 9 X 1" (362 LPM each) and 9 X 1" (362 LPM each) and 9 X 1" (362 LPM each) and 9 Windle is a dequate but the nozzles X 5000 lpm)  8 X 1.5" (690 LPM each) and 9 Windle is a dequate but the nozzle output is lesser by 323 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a dequate but the nozzle output is lesser by 3423 lpm as ear the OISD 156 windle is a		18 x 1" (362 LPM each) 6516 LPM in all. 900 m3/hr pump is provided which is adequate but the nozzle output is lesser by 3484 lpm as per the OISD 156 requirement	16 x 1" (362 LPM each) 5792 LPM in all 900 m3/hr pump is provided which is adequate but the nozzle output is lesser by 4208 ipm as per the OISD 156 requirement	6- X 1" ( 362 LPM) 870 m3/hr pump is provided which is adequate as per th) OISD 156 requirement
Jockey pump capcity		25 m3/ hr	54 cu.m/hr	54 cu.m/hr	54 cu.m/hr
Foam System	2 X 5000 lpm Tower foam monitor + 2 X 2400 lpm base foam monitor  Foam calculation = 14800 X .03X 60 = 26640 litre	Tower monitors (2 nos. x 5000 LPM) Ground monitor (1 No.x5000 LPM) As per calculation requirement is (15000 X .03 X 60) =27000 litre  Available = 15 cu.m tank which is lesser by 12 cu.m as per OISD 156	Tower monitors ( 2 nos. X 6000 LPM) Ground monitor (1 No.x 3000 LPM)  As per calculation requirement is ( 15000 X .03 X 60) =27000 litre  Available = 30 cu.m tank which meets OISD 156 requirement	Tower monitors ( 2 nos. X 6000 LPM) Ground monitor (1 No.x 3000 LPM) As per calculation requirement is (15000 X .06 X 60) =54000 litre( since 6% foam is avaiable) Available = 2 X 30 cu.m tank which meets OISD 156 requirement	As per calculation requirements is ( 18000 × .03 × 60) =32400 litre.
Foam Pump Capcily		54 Cu.m /hr @ 18 kg/cm2 X 2 nos pumps avaiable Adequate	27 Cu.m /hr @ 17 kg/cm2 X 2 nos pumps avaiable Adequate	54 Cu.m /hr @ 17 kg/cm2 X 2 nos pumps avaiable  Adequate	28 Cu.m /hr @ 17 kg/cm2 X nos pumps avaiable Adequate
Exfinguishers	6x10 kg. DCP extinguisher	1 X 5 kg, 2 X 10 kg, 2 X 20 Kg	2 X 10 Kg, 2 X 20 Kg	4 X 10 kg, 2 X 20	12 X 10 Kg, 4 X 5 Kg
	4x75 wheeled DCP	4 X 25 kg, 2 X 50 Kg	4 X 25 Kg, 2 X 50 kg	4X 25 Kg, 5 X 75 kg	4 X 75 Kg
Jockey pumps / Booste Pumps	r	2	2	2	, ž
International shore connection	minimum 1 per berth	1 No.	1 No.	1 (40.	1 No
Hydrant	Single headed Double headed	₹. 16 •	3 16	3 12	9 16
Fixed water spray	To be provided for all jetties handling more than		2 No.	2 No.	2 no.
system	20,000 DWT as per requirement				

# Trials & Mock drills

- Weekly trials of the fire fighting facilities is being carried out on a regular basis to ensure the system readiness for emergency.
- Mock drills are being carried out regularly with the participation of the user departments.





- star Store of several

#### Green Belt at NMPT

Port in its Endeavour to develop Green Belt has already provided a green cover of more than 33% with 95% survival of plants. Even though the Port is categorized as a service oriented organization, it has complied with the stipulations of an industry. The initiative for the greenery in the estate, include the operational and non operational area within the Port limits to control pollution mitigate emission of dust , air and water contamination. The Port, in its Endeavour has planted more than 2lakhs saplings of both endemic and non-endemic species .

The Ports a generally associated with cargo. It is unbelievable that New Mangalore Port Trust apart from its thriving business is also a natural heaven for the bird population. The species existing in the Port varies from Peacocks to Plovers and Pythons to Flower Peckers, Jackals, Mangoose, Jungle Fowls etc. At present, the bird population has increased to nearly 100 varities. The relentless efforts taken by the Management has ushered the growth of butterflies also. Butterflies are the indicators of best ecological system. New Mangalore Port Trust houses immovable butterflies. At present, New Mangalore Port Trust is the only Port in the country that maintain the best ecological balance in the midst of its business activity without compromising its Environment.

The presence of beautiful garden and parks indicate the maturity of civilized society. They are not only provide soothness to the eyes, but act as bio-diversity engines. New Mangalore Port Trust has more than 10 beautiful parks, three inside the colony area and rest inside the wharf. Each park is distinct in supporting the environment with endemic species and exotic sapplings. These parks are under 24/7 supervision and they are well maintained. All the parks exhibit different hue during the spring time to invoke the colours of rainbow.

## Green Belt at NMPT



#### 1.2 MLD Sewage Treatment Plant at NMPT

New Mangalore Port Trust has commissioned 1.2 MLD Sewage Treatment Plant with SBR Technology, it consumes 329 KW power/day for treating 0.75 MLD water/day.

The domestic sewage emanated from the NMPT township containing floating matter and solids both inorganic and organic matter will be treated in the STP and reused for irrigating the Green Belt after ensuring its suitability Periodic inspection and maintenance is carried out by Engineers and monitored by the Environment Cell of the Port.

NMPT has achived the Zero Discharge as NMPT is re using the entire quantity of treated water for **green belts** created inside the Port in order to reduce the burden on water resources. Besides, it is also used for sprinkling inside the wharf to suppress the dust emanating out of cargo handling.

There is a scientific monitoring system in place in the Port. The monitoring process is carried out through established NABL and MOEF&CC certified laboratory regularly and taken both preventive and corrective actions which results in very low BOD and Zero Turbidity. The Port has been fully complying with the statutory requirements.



#### Annexure-IV

Environmental Monitoring System: There is a scientific monitoring system in place in the Port. The monitoring process is carried out through NABL agregated established laboratories having resources and spare capacity. NMPT monitors air and water qualities through third pary authorised from KSPCB, MOEF&CC, regularly and taken both preventive and corrective actions. This Environmental Management System improves the environmental conditions in general and public health of its employees in partiucular. The treated water out of Sewage Treatment Plant is used for the green belts created inside the Port in order to reduce the burden on water resources. Besides, it is also used for sprinkling inside the wharf to suppress the dust emanating out of cargo handling.

The Port is an ISO 14001:2015 certifed since 2011 and it demands variousl Compliances to predict the Environment. The Port has successfully complied the standards



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.12: Marine Water Quality monitoring; Location Name: At Dumping Area

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW-IV
1	Total Dissolved Solids	mg/l	37927	37935	37941	Wasne
2	Total Suspended Solids	mg/l	207	218	226	_
3	Nitrates as N	mg/l	0.58	0.62	0.65	-
4	Nitrites as N	mg/l	BDL	BDL	BDL	
5	Turbidity	NTU	5.8	6.3	6.7	
6	Sodium as Na	mg/l	10159	10166	10173	
7	Potassium as K	mg/l	435	441	447	pours.
8	Magnesium as Mg	mg/l	1005	1014	1020	<b>P</b> hysia
9	Calcium as Ca	mg/l	374	378	381	Aprillag
10	Phosphates as P	mg/l	BDL	BDL	BDL	-
11	Sili cates as Si	mg/l	BDL	BDL	BDL	-
12	Total Solids	mg/l	38134	38153	38168	above .
13	Sulphates as SO4	mg/l	1166	1166	1179	_
14	pН	hv .	8.3	8.3	8.3	6.5 - 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6,69	6.64	6.60	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.02	0.02	0.02	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	Auron
20	Coliforms	MPN/100ml	271	275	232	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	passing.

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COPY STORY CHILDREN ST. CHILDRE ST. CHILDREN ST. CHILDREN ST. CHILDREN ST. CHILDREN ST. CHILDRE

Authorized Signatory P. KAVITHA

Technical Manager Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### Table No.-4.5.11:

## Marine Water Quality monitoring Location Name: 2500M West of Baseline & 1000M South of CIL

S. No	Parameters	Units	Surface (Im Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW - IV
1	Total Dissolved Solids	mg/l	37888	37897	37907	_
2	Total Suspended Solids	mg/I	208	217	225.	_
3	Nitrates as N	mg/l	0.45	0.48	0.52	-
4	Nitrites as N	mg/l	0.02	0.02	0.03	
5	Turbidity	NTU	5.5	5.7	5.9	-
6	Sodium as Na	mg/l	10684	10691	10699.	Prof
7	Potassium as K	mg/l	416	423	427	
8	Magnesium as Mg	mg/l	1005	1012	1019	_ :
9	Calcium as Ca	mg/l	364	369	374	_
10	Phosphates as P	mg/l	BDL	BDL	BDL	-
11	Silicates as Si	mg/l	BDL	BDL	BDL	Portue .
12	Total Solids .	mg/l	38096	38114	38132	
13	Sulphates as SO4	mg/l	1036	1043	1048	-
14	pН	_	8.30	8.30	8.30	6.5-9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.58	6.54	6.5	3 mg/l or 40 //saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.02	0.02	0.03	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	_
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	•••
20	Coliforms	MPN/100ml	271	281	283	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	_

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

S. SRI RENGANATHAN Technical Manager

Technical Manager S Chennai Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### Table No.-4.5.10:

## Marine Water Quality monitoring Location Name: 800M West of Baseline & 1000M South of CIL

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW - IV
1	Total Dissolved Solids	mg/l	37820	37838	37847	_
2	Total Suspended Solids	mg/l	202	209	217	50 errore
3	Nitrates as N	mg/l	BDL	BDL	BDL	
4	Nitrites as N	mg/l	0.02	0.02	0.03	-
5	Turbidity	NTU	5.52	5.8	5.9	_
6	Sodium as Na	mg/l	10196	10206	10216	and the same of th
7	Potassium as K	mg/l	411	417	423	
8	Magnesium as Mg	mg/l	1043	1052	1060	
9	Calcium as Ca	mg/l	363	367	371	~
10	Phosphates as P	mg/l	BDL	BDL	BDL	
11	Silicates as Si	mg/l	BDL	BDL	BDL	_
12	Total Solids	mg/l	38021	38041	38063	
13	Sulphates as SO4	mg/l	985	994	1000	
14	pH	-	8.30	8.3	8.2	6.5 - 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.7	6.6	6.6	3 mg/l or 40 ½ saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.02	0.03	0.03	_
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	_
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	296	277	269	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	worm.

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COP LIEUTEX LAB OF THE CHENNAL 32 + 031 LIE

Authoriza Hanniel

Technical Managur Chennal Mettex Lab Public Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### Table No.-4.5.9:

## Marine Water Quality monitoring Location Name: 2500M West of Baseline & 1000M North Of CIL

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW – IV
1	Total Dissolved Solids	mg/l	37930	37939	37951	
2	Total Suspended Solids	mg/l	198	208	218	
3	Nitrates as N	mg/l	0.62	0.66	0.69	
4	Nitrites as N	mg/l	0.02	0.02	0.02	
5	Turbidity	NTU	5.0	5.5	5.9	
6	Sodium as Na	mg/l	10260	10270	10277	_
7	Potassium as K	mg/l	431	438	446	<u> </u>
8	Magnesium as Mg	mg/l	1015	1023	1031	
9	Calcium as Ca	mg/l	354	357	360	
10	Phosphates as P	mg/l	BDL	BDL	BDL	_
11	Silicates as Si	mg/l	BDL	BDL	BDL	Broker
12	Total Solids	mg/l	38128	38147	38169	_
13	Sulphates as SO4	mg/l	1055.0	1063.0	1068.0	_
14	pH	-	8.3	8.3	8.3	6.5 – 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10 .
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.6	6.5	6.5	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.023	0.025	0.027	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	<u> </u>
20	Coliforms	MPN/100ml	285	279	301	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	<u> </u>

Note:- NTU-Nephelometric Turbidity Unit; mg/I - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COPY TO CHERNAL-32 TO THE

Authorized Signatory
P. KAVITHA
Technical Manager
Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No. 4.5.8:

## Marine Water Quality monitoring Location Name: 800M West of Baseline & 1000M North of CIL

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW - IV
1	Total Dissolved Solids	mg/l	38316	38328	38341	-
2	Total Suspended Solids	mg/l	208	216	224	_
3	Nitrates as N	mg/i	0.63	0.67	0.72	_
4	Nitrites as N	mg/l	0.04	0.04	0.05	_
5	Turbidity	NTU	5.2	5.5	5.8	_
6	Sodium as Na	mg/l	10208	10217	10226	-
7.	Potassium as K	mg/l	601	602	613	_
8	Magnesium as Mg	mg/l	1104	1110	1117	
9	Calcium as Ca	mg/I	383.	389.	392	_
10	Phosphates as P	mg/l	BDL	BDL	BDL	_
11	Silicates as Si	mg/l	BDL	BDL	BDL	_
12	Total Solids	mg/l	38524	38544	38565	
13	Sulphates as SO4	mg/l	1110	1117	1124	_
14	pН	-	8.3	8.2	8.2	6.5 - 9.0
15 .	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.6	6.5	6.5	3 mg/l or 40 ½ saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.027	0.030	0.032	_ ′
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	- 100
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	279	276	257	500/100ml(PAN) (Fecal Coliforms)
21 .	Total Phosphate as P	mg/l	BDL	BDL	BDL	

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COP LETTEX LEGISTRATE OF THE STREET OF THE S

Authorized Signatory
Technical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

## Table No.-4.5.7: Marine Water Quality monitoring; Location Name: 2500M West of Baseline

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW – IV
1	Total Dissolved Solids	mg/l	38330	38340	38352	
2	Total Suspended Solids	mg/l	207	216	224	
3	Nitrates as N	mg/l	0.52	0.56	0.59	
4	Nitrites as N	mg/l	0.03	0.03	0.05	-
5.	Turbidity	NTU	5.7	6.1	6.4	
6	Sodium as Na	mg/l	10185	10192	10199	- `
7	Potassium as K	mg/l	523	534	541	-
8	Magnesium as Mg	mg/l	1206	1216	1225	
9	Calcium as Ca	mg/l	417	419.	425.	
10	Phosphates as P	mg/l	BDL	BDL	BDL	
11	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	38537	38556	38576	_
13	Sulphates as SO4	mg/l	1188	1195	1205	_
14,	pН	-	8.3	8.3	8.2	6.5 – 9:0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.5	6.5	6.4	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.024	0.028	0.03	-
13	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	249	255	263	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COPY LIMIT STATE OF THE STATE O

Authorized Signatory
P. KAVITHA

**Technical Manager** Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA

Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.6: Marine Water Quality monitoring; Location Name: 800M West of Baseline

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW IV
1	Total Dissolved Solids	mg/l	38266	38280	38292	_
2	Total Suspended Solids	mg/l	198	207	218	_
3	Nitrates as N	mg/l	BDL	BDL	BDL	
4	Nitrites as N	mg/l	0.03	0.03	0.03	
5	Turbidity	NTU	6.2	6.7	7.1	
6	Sodium as Na	mg/l	10500	10515	10529	_
7	Potassium as K	mg/l	592	599	606	<u> </u>
8	Magnesium as Mg	mg/l	1165	1174	1181	
9	Calcium as Ca	mg/l	407	410	414	
10	Phosphates as P	mg/l	BDL	BDL	BDL	_
11	Silicates as Si	mg/l	BDL	BDL	BDL	p
12	Total Solids	mg/l	38464	38487	38510	_
13	Sulphates as SO4	mg/l	1341	1330	1359	_
14	рН	-	8.3	8.2	8.2	6.5 – 9.0
15	Oil & Grease	mg/l	BDL	BDL .	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.6	6.6	6.5	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.025	0.027	0.03	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	No.
20	Coliforms	MPN/100ml	267	283	279	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	gar-yang .

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COALWETTEX LESS OF LIVER OF LI

Authorized Signatory

P. KAVITHA

Technical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.5: Marine Water Quality monitoring; Location Name: In Front of Old Dock Arm

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW – IV
1	Total Dissolved Solids	mg/l	37531	37545	37555	_
2	Total Suspended Solids	mg/l	178	188	198	_
3	Nitrates as N	mg/l	BDL	BDL	BDL	-
4	Nitrites as N	mg/l	0.013	0.015	0.017	
5	Turbidity	NTU	5.1	5.4	5.7	_
6	Sodium as Na	mg/l	10474	10485	10494	P******
7	Potassium as K	mg/l	446	448	455	Bran.
8	Magnesium as Mg	mg/l	1118	1128	1135	_
9	Calcium as Ca	mg/l	382	387	391	_
10	Phosphates as P	mg/l	BDL	BDL	BDL	-
11	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	37709	37733	37753	
13	Sulphates as SO4	mg/l	1175	1182	1188	- 1
14	pН	-	8.3	8.2	8.2	6.5 – 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.4	6.4	6.4	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.023	0.025	0.026	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	10.
19	Organic Nitrogen as N	rng/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	253	256	271	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COPY LIMITED TO CHENNIN STATE

Authorized Signatory
P. KAVITHA

Technical Manager Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.4: Marine Water Quality monitoring; Location Name: Western Cornet of DDGB

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW – IV
1	Total Dissolved Solids	mg/l	37852	37862	37874	_
2	Total Suspended Solids	mg/l	181	189	197	
3	Nitrates as N	mg/l	BDL	BDL	BDL	_
4	Nitrites as N	mg/l	0.022	0.024	0.026	-
5	Turbidity	NTU	4.5	4.6	4.7	
6	Sodium as Na	mg/l	10397	10407	10415	-
7	Potassium as K	mg/l	484	489	495	
8	Magnesium as Mg	mg/l	1113	1123	1132	
9	Calcium as Ca	mg/l	384	388	394	
10	Phosphates as P	mg/l	BDL	BDL	BDL	
11	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	38033	38051	38071	_
13	Sulphates as SO4	mg/l	1000	1007	1014	-
14	pH	-	8.2	8.2	8.10	6.5 – 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.4	6.3	6.3	3 mg/l or 40 % saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.016	0.018	0.02	- '
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	_
20	Coliforms	MPN/100ml	246	273	270	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COPY CHENNAL ST & CHENTAL ST & CHENNAL ST &

Authorized Signatory

P. KAVITHA
Technical Manager
Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.3: Marine Water Quality monitoring; Location Name: In Front of KIOCL Berth No.9

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW - IV
1.	Total Dissolved Solids	mg/l	37417	37429	37439	
2	Total Suspended Solids	mg/l	191	199	205	
3	Nitrates as N	mg/l	BDL	BDL	BDL	
4	Nitrites as N	mg/l	0.022	0.025	0.027	_
5	Turbidity	NTU	4.6	4.7	4.9	
6	Sodium as Na	mg/l	10556	10564	9941	
7	Potassium as K	mg/l	409	417	426.	_
8	Magnesium as Mg	mg/l	1021	1030	1038	_
9	Calcium as Ca	mg/l	354	358	362	
10	Phosphates as P	mg/l	BDL	BDL	BDL	_
11	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	37608	37628	37644	
13	Sulphates as SO4	mg/l	1037	1044	1051	_
14	pH	-	8.20	8.20	8.10	6.5 - 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.6	6.6	6.5	3 mg/l or 40 % saturation value whichever is higher.
17	Dissolved Iron as Fe	mg/l	0.03	0.031	0.034	
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	257	248	266	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN Technical Manager COP LATER LAB LA LABORATE LABORATE LA LABORATE LA LABORATE LA LABORATE LA LABORATE LA LABO

Authorized Signatury
Technical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.5.2: Marine Water Quality monitoring; Location Name: In Front of KIOCL Berth

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW – IV
1	Total Dissolved Solids	mg/l	37395	37411	37427	****
2	Total Suspended Solids	mg/l	201	212	222	-
3	Nitrates as N	mg/l	BDL	BDL	BDL	page .
4	Nitrites as N	mg/l	0.024	0.028	0.031	
5	Turbidity	NTU	5.2	5.7	6.1	_
6	Sodium as Na	mg/l	10569	10580	10594	Pale
7	Potassium as K	mg/l	512	520	525	gh.um
8	Magnesium as Mg	mg/l	1066	1074	1082	_
9	Calcium as Ca	mg/l	372	378	383	
10	Phosphates as P	mg/l	BDL	BDL	BDL	proces
11	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	37596	37623	37649	-
13	Sulphates as SO4	mg/l	1038	1047	1056	_
14	pH	-	8.3	8.2	8.2	6.5 - 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.6	6.5	6.49	3 mg/l or 40 % saturation value whichever is higher
17.	Dissolved Iron as Fe	mg/l	0.057	0.064	0.067	_
18	Total Nitrogen as N	mg/l	BDL	1BDL	BDL	_ , ;
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	252	255	266	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	-

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter.

Verified by

S. SRI RENGANATHAN

Technical Manager

COPY COLUMN 20 \* C

Authorized Signatory P. KAVITHA

Technical Manager

Chennai Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamii Nadu, INDIA Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## 4.5 MARINE WATER QUALITY

Marine Water quality data are presented for the period between October 2019 to March 2020

#### Table No.-4.5.1: Marine Water Quality monitoring; Location Name: Berth No.2 & 7

S. No	Parameters	Units	Surface (1m Below surface)	Middle (from surface 10m below)	Depth (20m from surface)	Tolerance Limit for harbour water class SW IV
1	Total Dissolved Solids	mg/l	37233	37270	37290	_
2	Total Suspended Solids	mg/l	219	227	235	****
3	Nitrates as N	mg/l	BDL	BDL	BDL	phone, c
4	Nitrites as N	mg/l	0.04	0.04	0.045	_
5	Turbidity	NTU	5.4	5.9	6.5	
6	Sodium as Na	mg/l	10240	10279	10308	_
7	Potassium as K	mg/l	617	624	631	
8	Magnesium as Mg	mg/l	1065	1091	1104	
. 9	Calcium as Ca	mg/l	386	396	402	
10	Phosphates as P	mg/l	BDL	BDL	BDL	
11.	Silicates as Si	mg/l	BDL	BDL	BDL	
12	Total Solids	mg/l	37452	37497	37535	
13	Sulphates as SO4	mg/l	1031	1038	1045	_
14,	pН	-	8.30	8.20	8.20	6.5 – 9.0
15	Oil & Grease	mg/l	BDL	BDL	BDL	10
16	Dissolved Oxygen as O <sub>2</sub>	mg/l	6.5	6.5	6.5	3 mg/l or 40 ½ saturation value whichever is higher
17	Dissolved Iron as Fe	mg/l	0.02	0.022	0.024	~
18	Total Nitrogen as N	mg/l	BDL	BDL	BDL	
19	Organic Nitrogen as N	mg/l	BDL	BDL	BDL	
20	Coliforms	MPN/100ml	241	263	245	500/100ml(PAN) (Fecal Coliforms)
21	Total Phosphate as P	mg/l	BDL	BDL	BDL	-

Note:- NTU-Nephelometric Turbidity Unit; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter

Verified by

S. SRI RENGANATHAN Technical Manager COPY THE COPY OF THE PRINCIPLE OF THE PR

Authorized Signatary

Technical Manager

Chennai Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

## Table No.-4.3.12: Drinking Water Quality monitoring

S. No	Parameters	Units		sults Open Well - II	Desirable Limit As per
			Min.	Max.	IS 10500: 2012
1	рН @ 25°C	-	6.6 (Mar. 20)	7.12 (Oct19)	6.5 to 8.5
2	Odour/Taste	_	Agreeable	Agreeable	Unobjectionable
. 3	Color	Hazen	Less than 1	Less than 1	5
4	Turbidity	NTU	Less than 0.5	Less than 0.5	5
5	Electrical Conductivity	μs/cm	120 (Nov. 19)	198 (Oct. 19)	~-
6	Total hardness as CaCO3	mg/l	16.0 (Feb. 20)	92.0 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	84.0 (Jan. 20)	109 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	10.0 (Nov. 19)	20.0 (Oct. 19)	250 mg/l
9	Sulphates as SO4	mg/l	BDL	BDL	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	
13	Bacterial count	cfu/ml	50 (Oct. 19)	55 (Dec. 19)	<u></u>
14	Coliforms	MPN/100ml	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager Authorized Signatory
P. KAVITHA

Technical Manager Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.11: Drinking Water Quality monitoring

S.	Parameters	Units	_	sults Open Well		sults Open Well	Desirable Limit As per
No	a at athereis		Min.	Max.	Min.	Max.	IS 10500: 2012
1	рН @ 25°C	-	6.52 (Dec. 19)	7.15 (Oct. 19)	6.58 (Jan. 20)	7.23 (Oct. 19)	6.5 to8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μs/cm	180 (Nov. 19)	220 (Oct. 19)	170 (Nov. 19)	225 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	25.0 (Mar. 20)	72.1 (Oct. 19)	22 (Mar. 20)	70 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	93 (Jan. 20)	132 (Oct. 19)	99.0 (Jan. 20)	135 (Oct. 19)	500 mg/l
δ	Chloride as Cl	mg/l	18.0 (Dec. 19)	48.0 (Oct. 19)	20.0 (Dec. 19)	46.2 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l ·	BDL	BDL	BDL	BDL	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l
11 .	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	7-
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	- '
13	Bacterial count	cfu/ml	50 (Oct. 19)	65 (Feb. 20)	50 (Oct. 19)	65 (Dec. 19)	
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water

guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager **Authorized Signatory** 

P. KAVITHA
Technical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.10: Drinking Water Quality monitoring

s.	Parameters	Units	_	sults ling Yard		sults Tank	Desirable Limit As per
No			Min.	Max.	Min.	Max.	IS 10500: 2012
1	pH @ 25°C	*	6.62 (Dec. 19)	6.91 (Oct. 19)	6.54 (Dec. 19)	7.11 (Oct. 19)	6.5 to 8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μs/cm	180 (Mar. 20)	242 (Oct. 19)	174 (Mar. 20)	320 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	18.0 (Feb. 20)	72.0 (Oct. 19)	45.0 (Mar. 20)	106.0 (Oct. 19)	300 mg/!
7	Total Dissolved Solids	mg/l	98.0 (Jan. 20)	145.0 (Oct. 19)	97.2 (Feb. 20)	192.0 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	14.0 (Dec. 19)	28.0 (Oct. 19)	40.0 (Mar. 20)	55.0 (Oct. 19)	250 mg/i
9	Sulphates as SO <sub>4</sub>	mg/l	10.0 (Dec.19)	20.0 (Oct. 19)	10.0 (Jan. 20)	24.0 (Oct. 19)	200 mg/l
10	Total Iron as Fe	mg/l	BDL	0.2 (Nov. 19)	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	
13	Bacterial count	cfu/ml	50 (Oct.19)	55 (Jan. 20)	50 (Oct. 19)	60 (Jan, 20)	
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit; μs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water

guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager

Authorized Signatory P. KAVITHA

chemical Manager chemial Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.9: Drinking Water Quality monitoring

s.	Parameters	Units		sults No-14		sults h No-9	Desirable Limit As per
No	A ME MAINTEN		Min.	Max.	Min.	Max.	IS 10500: 2012
-1	рН @ 25°C •	-	6.56 (Feb. 20)	7.35 (Oct. 19)	6.58 (Dec. 19)	6.98 (Oct. 19)	6.5 to 8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan I	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μs/cm	180 (Nov. 19)	232 (Oct. 19)	180 (Jan. 20)	248 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	22.0 (Feb. 20)	75.0 (Oct. 19)	26.0 (Dec. 19)	74.0 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	90.0 (Nov. 19)	139.0 (Oct. 19)	90.0 (Jan. 20)	148.1 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	12.0 (Dec. 19)	22.0 (Oct. 19)	16.0 (Dec. 19)	46.0 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	200 mg/l
10	Total Iron as Fe	mg/I	BDL	BDL	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	W 10-
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	/
13	Bacterial count	cfu/ml	50 (Nov. 19)	60 (Mar. 20)	50 (Feb. 20)	60 (Oct. 19)	
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager





(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.8: Drinking Water Quality monitoring

S. No	Parameters	Units		sults Open Well - I		sults Canteen	Desirable Limit As per
140			Min.	Max.	Min.	Max.	IS 10500: 2012
1	pH @ 25°C	-	6.60 (Dec. 19)	7.12 (Oct. 19)	6.54 (Dec. 19)	6.85 (Oct. 19)	6.5 to8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μs/cm	120 (Nov. 19)	198 (Oct. 19)	170 (Mar. 20)	326 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	16.0 (Feb. 20)	92.0 (Oct. 19)	24.0 (Dec. 19)	69.0 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	84.0 (Jan. 20)	109 (Oct. 19)	92.0 (Jan. 20)	195 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	10.0 (Nov. 19)	20.0 (Oct. 19)	12.0 (Jan. 20)	34.0 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	BDL	BDL	10.0 (Feb. 20)	22,0 (Oct. 19)	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	-
13	Bacterial count	cfu/ml	50 (Nov. 19)	55 (Mar. 20)	50 (Oct. 19)	55 (Feb. 20)	4
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COOLING

Authorized Signatory

Technical Manager

⇒ Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.7: Drinking Water Quality monitoring

S.	Parameters	Units		sults tion Building		sults Building	Desirable
No	1 mameters	Cints	Min.	Max.	Min.	Max.	Limit As per 15 10500: 2012
1	pH @ 25°C		6.62 (Dec. 19)	7.05 (Oct. 19)	6.58 (Dec. 19)	7.23 (Oct. 19)	6.5 to 8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan I	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
٤	Electrical Conductivity	μs/cm	148 (Dec. 19)	220 (Oct. 19)	130 (Nov. 19)	220 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	58.0 (Mar. 20)	85.0 (Oct. 19)	14.0 (Jan. 20)	94.0 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	83.0 (Feb. 20)	132 (Oct. 19)	80.0 (Jan. 20)	132 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	38.0 (Nov. 19)	50.0 (Feb. 20)	10.0 (Dec. 19)	26.0 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	13.2 (Oct. 19)	13.2 (Mar. 20)	BDL	BDL	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as:	mg/l	BDL	BDL	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	
13	Bacterial count	cfu/ml	50 (Jan. 20)	70 (Oct. 19)	50 (Nov. 19)	65 (Mar. 20)	,
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COPY LAB DRILL OF THE STATE OF

Authorized Signatory
P. KAVITHA
Technical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.6: Drinking Water Quality monitoring

S. No	Parameters	Units		sults Canteen		<u>sults</u> Hospital	Desirable Limit As per
			Min.	Max.	Min.	Max.	IS 10500: 2012
1	pH @ 25°C	-	6.62 (Mar. 20)	6.85 (Oct. 19)	6.58 (Feb. 20)	6.82 (Nov. 19)	6.5 to 8.5
2	Odour/Taste	_	Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μѕ/ст	170 (Mar. 20)	210 (Oct. 19)	164 (Mar. 20)	220 (Oct. 19)	
6	Total hardness as CaCO <sub>3</sub>	mg/l	38.0 (Dec. 19)	85.0 (Oct. 19)	30.0 (Dec.19)	90.0 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	92.0 (Dec. 19)	126.0 (Oct. 19)	93.0 (Jan. 20)	132 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	16.0 (Jan. 20)	48.0 (Oct. 19)	18.0 (Dec. 19)	44.0 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	6.00 (Dec. 19)	26 (Oct. 19)	8.00 (Mar. 20)	32.0 (Oct. 19)	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	,
13	Bacterial count	cfu/ml	50 (Nov. 19)	70 (Oct. 19)	50 (Nov. 19)	70 (Oct. 19)	"
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit; µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COPY STATES OF THE COPY STATES O

Authorized Signatory
P. KAVITHA
Technical Manager
Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

#### Table No.-4.3.5: Drinking Water Quality monitoring

S. No	Parameters	Units		<u>sults</u> uest House	Desirable Limit
	Participa		Min,	Max.	IS 10500: 2012
1	рН @ 25°C	-	6.65 (Mar. 20)	6.82 (Oct. 19)	6.5 to 8.5
2	Odour/Taste	-	Agreeable	Agreeable	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	5
4	Turbidity '	NTU	Lessthan 0.5	Lessthan 0.5	5 .
5	Electrical Conductivity	μs/cm	165 (Mar. 20)	190 (Oct. 19)	-
6	Total hardness as CaCO <sub>3</sub>	mg/l	42 (Mar. 20)	80 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	93 (Feb. 20)	138 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	26 (Feb. 20)	52 (Oct. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	9.0 (Jan. 20)	22 (Nov. 19)	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	0.02 (Oct. 19)	0.02 (Oct. 19)	
13	Bacterial count	cfu/ml	55 (Nov. 19)	70 (Oct. 19)	
14	Coliforms	MPN/100ml	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COPY STREET

uthorized Signatory

Cheffia Mical Managerate Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No.-4.3.2: Drinking Water Quality monitoring

S. No	Parameters	Units	Res RCHW (	ults Open well		sults F School	Desirable Limit As per IS
			Min.	Max.	Min.	Max.	10500: 2012
1	рН @ 25°C	-	6.52 (Nov. 19)	7.12 (Oct. 19)	6.54 (Dec. 19)	7.36 (Oct, 19)	6.5 to 8.5
2	Odour/Taste	-	Agreeable	Agreeable	Agreeable	Agreeab!e	Unobjectionable
3	Color	Hazen	Lessthan 1	Lessthan 1	Lessthan 1	Lessthan 1	5
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5
5	Electrical Conductivity	μs/cm	161 (Mar. 20)	198 (Oct. 19)	110 (Nov. 19)	185 (Oct. 19)	
6	Total hardness as CaÇO <sub>3</sub>	mg/l	42 (Dec. 19)	86 (Oct. 19)	14 (Feb. 20)	68 (Oct. 19)	300 mg/l
7	Total Dissolved Solids	mg/l	86 (Feb. 20)	118 (Oct.19)	80 (Nov. 19)	102 (Oct. 19)	500 mg/l
8	Chloride as Cl	mg/l	12 (Dec. 19)	32 (Oct. 19)	12 (Nov. 19)	24 (Sep. 19)	250 mg/l
9	Sulphates as SO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	200 mg/l
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL	
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	
13	Bacterial count	cfu/ml	55 (Jan. 20)	60 (Dec. 19)	50 (Jan 20)	60 (Dec. 19)	
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COPY STATE OF THE PROPERTY OF

Authorized Signatory
P. KAVITHA
Technical Manager

Chemial Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

-	
2	
2	
-	
=	
$\sim$	
~	
-	
O	
Η.	
æ	
-	
>	
_	
<u>~</u>	
Ψ;	
0	
$\sim$	
H	
a	
Ω	
0	
1	
C	
$\overline{}$	
-	
AIR QUALITY STATUS (C	
61	
_	
-	
-	
-	
-	
11	
$\sim$	
-	
d.	
-	
_	
$\sim$	
_	
~	
-	
_	
-	
4	
~	
-	
BLENT	
~	
_	
-	
-	
-CL	
-	
-100	
~	
-	
-	
14	
-	
-	
V.	
_	
DETAIL	
-	
3	
3.3	
m.	
. 1	
1	
•	
d)	
pl	
-	

		BDL	BDL	BDL	BDL	BDI.	20
6	ngu	BDL	BDL	BDL	BDL	BDL	9
		BDL	BDL	BDL	BDL	BDL	:-
		BDL	BDL	BDL	BDL	BDL	# <b>c</b>
•	m,	BDL	BDL	BDL	BDL	BDL	400
٠	ng,	BDL	BDL	BDL	BDL	BDL	100
		BDL	BDL	BDL	BDL	BDL	•-
	mg/m	BDL	BDL	BDL	BDL	BDL	2
	Мах	20.8 (Oct.19)	19.5 (Sep.19)	16.8 (Dec.19)	18.5 (Nov.19)	15.8 (Nov.19)	•
	Min	13.2 (Mar.20)	13.2 (Dec.19)	12.8 (Nov.19)	13.8 (Jan.20)	12.8 (Dec.19)	.08
	Max 9.4 (Mar.20)	9.4 (Mar.20)	8.6 (Mar.20)	7.8 (Mar.20)	7.6 (Feb.20)	8.2 (Mar.20)	•_
n³	Min	6.3 (Oct.19)	5.9 (Oct.19)	4.4 (Oct.19)	5.6 (Jan.20)	4.1 (Oct.19)	•08
ηgη.	Max	28.3 (Nov.19)	22.6 (Nov.19)	22.3 (Mar.20)	25.1 (Nov.19)	19.3 (Feb.20)	
	Min	21.8 (Feb.20)	19.8 (Jan.20)	18.2 (Oct.19)	16.8 (Oct.19)	15.5 (Oct.19)	)9
	Max	50.6 (Nov.19)	38.2 (Nov.19)	41.0 (Nov.19)	44.9 (Nov.19)	37.2 (Nov.19)	
	Min	382 (Oct.19)	32.6 (Oct.19)		30.1 (Oct.19)	27.3 (Oct.19)	100
Locations		VTMS Port Control	1.M.C.	Old Coastal Guard Office	Main Gate	NMPT Hospital	NAAQs (2009)
S.No		1	7	3	4	5	Z
	Locations µg/m³	Locations  Hin Max Min Max Min Max Min	Locations         μg/m³         μg/m³         Min         Max         Min         Min	Locations         Highm³         Min         Max         Min         Max <t< td=""><td>Locations         Min         Max         Min         M</td><td>  Locations   High   Max   Min   Max   Max   Min   Min   Max   Min   Min</td><td>  Min   Max   Min   Min</td></t<>	Locations         Min         Max         Min         M	Locations   High   Max   Min   Max   Max   Min   Min   Max   Min   Min	Min   Max   Min   Min

Chennai Mettex Lab Private Limited Technical Manager Authorized Signatory P. KAVITHA K.

Sulphur dioxide; NO<sub>2</sub> - Nitrogen-di-oxide; CO - Carbon Mono Oxide(DL: 1.0 mg/m³);O<sub>3</sub>-Ozone(DL: 20 µg/m³);NH<sub>3</sub>-Ammonia (DL: 20 µg/m³); Pb-Lead (DL: 0.1 μg/m³); As-Arsenic (DL 1.0 ng/m³); Ni-Nickel (DL 1.0 ng/m³); Benzene-(DL 1.0 μg/m³); B(α)P- Benzo -α-pyrene (DL0.1 ng/m³); ng/m³: nanogram

BDL =Below detection limit; DL - Detection Limit; PM2,5-Particulate matter size less than 2.5 Micron, PM10-Particulate matter size less than 10 Micron; SO2

: Annual average

: 8 hours average;

24 hours average;

S. SRI RENGANATHAN

per cubic meter, µg/m' - microgram per cubic m

Technical Manager



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

#### Table No.-4.3.3: Drinking Water Quality monitoring

S. No	Parameters	Units		oults Open Well	Desirable Limit As per IS 10500: 2012	
			Min.	Max.	per 15 10500: 2012	
1	рН @ 25°C	-	6.58 (Mar. 20)	7.22 (Oct. 19)	6.5 to 8.5	
2	Odour/Taste	-	Agreeable	Agreeable	Unobjectionable	
3	Color	Hazen	Lessthan 1	Lessthan I	5 ,	
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	5	
5	Electrical Conductivity	μs/cm	166 (Mar. 20)	205 (Oct. 19)		
6	Total hardness as CaCO <sub>3</sub>	mg/l	40 (Dec. 19)	96 (Oct. 19)	300 mg/l	
7	Total Dissolved Solids	mg/l	94.5 (Feb. 20)	123 (Oct. 19)	500 mg/l	
8.	Chloride as Cl	mg/l	38 (Mar. 20)	50 (Jan. 20)	250 mg/l	
9 -	Sulphates as SO <sub>4</sub>	mg/l	BDL	BDL.	200 mg/l	
10	Total Iron as Fe	mg/l	BDL	BDL	1.0 mg/l	
11	Ammonical Nitrogen as N	mg/l	BDL	BDL		
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL		
13	Bacterial count	cfu/ml	50 (Dec. 19)	55 (Feb. 20)		
14	Coliforms	MPN/100ml	Absent	Absent	Nil .	

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager COLDA SELECTION OF A CHEMMY 20 X SELECTION OF A CHEMY 20 X SELECTION OF A CHEMMY 20 X SELECTION OF A CHEMPY 20 X SELECTION OF A C

Authorized Signatory P. KAVITHA

Chennar Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamił Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### Table No.-4.3.4: Drinking Water Quality monitoring

S. No	Parameters	Units	_	sults payya Well		sults Water	Desirable Limit	
5.210	T di dinettas	Cincs	Min.	Max.	Min.	Max.	10500: 2012	
1	pH @ 25°C	-	6.60 (Dec.19)	7.10 (Oct. 19)	6.58 (Dec. 19)	6.84 (Oct. 19)	6.5 to 8.5	
2	Odour/Taste		Agreeable	Agreeable	Agreeable	Agreeable	Unobjectionable	
3	Color	Hazen	Lessthan I	Lessthan 1	Lessthan 1	Lessthan 1	5	
4	Turbidity	NTU	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	Lessthan 0.5	5	
5	Electrical Conductivity	μs/cm	140 (Mar. 20)	208 (Oct. 19)	154 (Dec. 19)	214 (Oct. 19)		
6	Total hardness as CaCO <sub>3</sub>	mg/l	60 (Mar. 20)	92 (Oct. 19)	55 (Mar, 20)	90 (Oct. 19)	300 mg/l	
7	Total Dissolved Solids	mg/l	83 (Feb. 20)	124 (Oct. 19)	88 (Jan. 20)	128 (Oct. 19)	500 mg/l	
8	Chloride as Cl	mg/l	40 (Mar. 20)	56 (Feb. 20)	38 (Mar. 20)	52 (Feb. 20)	250 mg/l	
9	Sulphates as SO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	200 mg/l	
10	Total Iron as Fe	mg/l	BDL	BDL	BDL	BDL	1.0 mg/l	
11	Ammonical Nitrogen as N	mg/l	BDL	BDL	BDL	BDL		
12	Phosphates as PO <sub>4</sub>	mg/l	BDL	BDL	BDL	BDL	12	
13	Bacterial count	cfu/ml	50 (Nov. 19)	70 (Oct. 19)	50 (Dec. 19)	70 (Oct. 19)		
14	Coliforms	MPN/100ml	Absent	Absent	Absent	Absent	Nil	

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit;

µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; mL-Milliliter

#### CONCLUSION:

It is concluded from the above test reports the water parameters are meeting the drinking water

guidelines of IS: 10500:2012 norms.

Verified by

S. SRI RENGANATHAN Technical Manager Authorized Signatory
P.KAVITHA

Technical Manager Chennal Mettex Lab Private Limited

25



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### 4.6 Waste Water

Waste Water quality data are presented for the period between October 2019 to March 2020

SI. No.	TEST PARAMETERS	UNIT	Raw Sewage Inlet Tank	UV Outlet	UF Feed	UF Permeate	freated Water in the outlet tank	Tolerance Limit set by KSPÇB
01	pH at 25°C		6.46	7.65	7.56	7.66	7.23	6.5 to 9.0
02	Conductivity @ 25°C	µS/cm	1065	895	943	917	975	
03	Odour		Objectionable		Unobjectionable			
04	Colour	Hazen	33.4	Coloriess	8.5	Colorless	14.3	No visible color
0.5	Dissolved Oxygen	mg/l	2.90	5.0	4.9	5.0	4.7	Min. of 3
06	Oil & Grease	mg/l	13.30	BDL	BDL	BDL	3.9	10.0
07	Sludge Volume Index	mg/l	102	Nil	Nil	Nil	Nil	
08	Total Suspended Solids	mg/l	366	BDL	8.3	BDL	17.8	<20.0
09	Total Dissolved Solids	mg/l	629	554	574	561	595	2100
10	Mixed Liquor Suspended solids	mg/l	357	BDL	7.8	BDL	26	
11	Chemical Oxygen Demand	mg/l	372	4.2	8.4	6.0	17	< 50.0
12	BOD (3 days @ 27°C)	mg/l	174	BDL	4.0	BDL	5.8	< 10.0
13	Ammonical Nitrogen	mg/I	15.3	BDL	BDL	BDL	3.0	< 5.0
14	Total Nitrogen	mg/l	17.3	BDL	BDL	BDL	3.7	< 10.0
15	Phenolic Content as C6H6OH	mg/l	BDL	BDL	BDL	BDL	BDL	1.0
16	Faecal Coliform	MPN/100ml	1600	276	268	263	277	1000

Note: BDL: Below Detection Limit, DL: Detection Limit μs/cm, μS/cm: Micro Siemens per Centimeter, mg/l: Milligrams per liter, MPN: Most Probable Number.

ing i . Willing and per inter, will it . Whose I load to I tullion.

Note:-BDL - Below Detection Limit; DL- Detection Limit; NTU-Nephelometric Turbidity Unit; µs/cm - Micro Siemens per centimeter; mg/l - Milligrams per Liter; MPN- Most Probable Number; ml - Milliliter

#### CONCLUSION:

It is concluded from the above test reports that the treated water quality comply with the tolerance limit set by the KSPCB.

Verified by

S. SRI RENGANATHAN Technical Manager COPY THE OF THE

Authorized Signatory
P. KAVITHA

Technical Manager

Chennai Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## 5.0 MARINE SLUDGE QUALITY

The Marine Sludge quality data are presented for the period between October 2019 to March 2020

#### Table No.:-5.1 Marine Sludge Quality monitoring

S. No.	1	2	3	4	5	6
Location	Center of dock Arm and B. No. 2 & 7	In Front of KIOCL Berth	In Front of Berth No. 9	Western Cornet DDGB	In Front of Old dock arm	800 m West Of baseline
Water Content .	44.5	43.9	43.9	43.5	43.8	44.0
Bulk Density	3.4	3.3	3.2	3.2	3.3	3.2
Dry Density	1.9	1.9	1.8	1.8	1.8	1.8
Specific Gravity	1.9	1.8	1.8	1.8	1.8	1.7

Gravel (□)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
Sand (□)	8.0	6.0	7.2	7.6	7.2	6.2
Silt (□)	87.6	85.2	84.8	85.4	84.8	85.0
Clay (□)	4.4	8.8	8.0	7.0	8.0	8.8

Verified by

S. SRI RENGANATHAN Technical Manager



**Authorized Signatory** 

P. KAVITHA Tischnical Manager

Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

Table No. 7.2

## STACK EMISSION MONITORING FOR October 2019 and March 2020-Summary

S. No	Sampling Location		d Particulate mg/Nm³		ioxide as SO <sub>2</sub> /Nm <sup>3</sup>	Oxides of Ni	trogen as NO <sub>x</sub>
	Docation	Min.	Max.	Min.	Max.	Min.	Max.
1	Hospital DG	0.06 (Jan. 20)	0.078 (Dec. 19)	BDL	BDL	0.487 (Feb.20)	0.63 (Oct.19)
2	Electrical Substation DG-1	0.078 (Jan. 20)	0.098 (Mar. 20)	BDL	BDL	0.518 (Jan.20)	1.288 (Oct.19)
3	Electrical Substation DG-2	0.072 (Dec. 19)	0.092 (Mar. 20)	BDL	BDL	0.594 (Jan.20	0.790 (Nov.19)
4	33 KVA Main Entrance DG-I	0.106 (Nov. 19)	0.208 (Mar. 20)	BDL	BDL	1.289 (Feb.20)	1.722 (Nov19)
5	33 KVA Main Entrance DG-II	0.08 (Jan. 20)	0.163 (Nov.19)	BDL	BDL	1.564 (Dec.19)	1.935 (Novl. 19)
6	VTMS. DG	0.059 (Mar.20)	0.078 (Dec.19)	BDL	BDL	0.592 (Oct,. 19)	0.768 (Jan.20)
7	Electrical sub station	0.051 (Mar.20)	0.081 (Jan.20)	BDL	BDL	0.265 (Oct 19)	0.518 (Jan.20)
8	Oil Jetty Pump No-1			Under N	Maintenance		1
9	Oil Jetty Pump No-2	26.6 (Oct.19)	29.2 ( Feb.20)	BDL	BDL	105 (Oct.19)	129 (Feb .20)
10	Oil Jetty Pump No-3	29.5 (Oct. 19)	33.6 (Jan.20)	BDL	BDL	127 (Oct.19)	158 (Mar 20)
11	Oil Jetty pump-4	25.3 (Nov.19)	32.6 (Feb.20)	BDL	BDL	102 (Mar.20)	120 (Jan.20)
12	Hydrate Pump	19.8 (Feb.20)	23.6 (Nov. 19)	BDL	BDL	68 (Oct. 19)	85 (Dec. 19)
13	Monitor Pump	25.2 (Oct. 19)	30.8 (Mar.20)	BDL	BDL	70.4 (Jan. 20)	85 (Nov. 19)

Note: mg/Nm3 - milligrams per cubic meter

Verified by

S. SRI RENGANATHAN Technical Manager COD LATITUDA CHIMING OF THE WANTED A STEELING OF THE WANTED A STEELING

Authorized Signatory

P. KAVITHA

Technical Manager Chennal Mettex Lab Private Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### 7.0 STACK MONITORING STATUS

The Stack monitoring data are presented for the period between October 2019 and March 2020.

## Table No. 7.1: STACK EMISSION MONITORING (AVERAGE LEVEL)

S. No.	Sampling Location	Suspended Particulate Matter	Sulphur Dioxide as SO <sub>2</sub> mg per Nm <sup>3</sup> / g per kw-hr	Oxides of Nitrogen as NO <sub>x</sub>	
11:	Hospital DG	0.069 g/kw-hr	BDL	0.54 g/kw-hr	
2	Electrical Substation DG-1	0.088 g/kw-hr	BDL	0.748 g/kw-hr	
3	Electrical Substation DG-2	0.083 g/kw-hr	BDL	0.679 g/kw-hr	
4	33 KVA Main Entrance DG-I	0.144 g/kw-hr	BDL	1.475 g/kw-hr	
5	33 KVA Main Entrance DG-II	0.118 g/kw-hr	BDL	1.720 g/kw-hr	
, 6	VTMS DG	0.067 g/kw-hr	BDL	0.653 g/kw-hr	
7	Electrical substation ADM. Building	0.061 g/kw-hr	BDL	0.413 g/kw-hr	
8	Oil Jetty Pump No-1	34.2 mg/Nm <sup>3</sup>	BDL	101 mg/Nm <sup>3</sup>	
9	Oil Jetty Pump No-2	27.6 mg/Nm <sup>3</sup>	BDL	117 mg/Nm <sup>3</sup>	
10	Oil Jetty Pump No-3	31.8 mg/Nm <sup>3</sup>	BDL	138 mg/Nm <sup>3</sup>	
11	Oil Jetty Pump No-4	29.2 mg/Nm <sup>3</sup>	BDL	111 mg/Nm <sup>3</sup>	
12	Hydrate Pump	21.7 mg/Nm <sup>3</sup>	BDL	76.2 mg/Nm <sup>3</sup>	
13	Monitor Pump	28.4 mg/Nm <sup>3</sup>	BDL	78.3 mg/Nm <sup>3</sup>	

Note: mg/Nm3 - milligrams per cubic meter

Verified by

S. SRI RENGANATHAN Technical Manager COPY CHENNAL 32 \* CHENNAL 32 \*

Authorized Signatory
P. KAVITHA

Chelling Manager Limited



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA-Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

#### 6.0 NOISE LEVEL STATUS

#### 6.1 Data Presentation

The Noise Level quality data are presented for the period between October 2019 and March 2020.

#### AMBIENT NOISE MONITORING FOR October 2019 TO March 2020 -SUMMARY

			Noise Level in dB(A)							
Sl. No	Location		Day Time	2	Night Time					
		Min.	Max.	CPCB limit	Min.	Max.	CPCB limit			
1	Malya Gate (Main Gate)	55.8 (Dec. 19)	60.4 (Jan. 20)		49.7 (Dec.19)	54.8 (Jan.20)				
2	Wharf Berth (Inside)	53.8 (Mar. 20)	62.1 (Oct. 19)		49.2 (Feb.20)	57.0 (Oct.19)				
3	Administrative Office Building	50.8 (Dec. 19)	55.9 (Oct. 19)	Industrial Area	46.6 (Dec. 19)	51.4 (Oct.19)	Industrial Area			
4	J.N.C. Hall in the campus	48.8 (Dec. 19)	52.4 (Oct. 19)	Day Time Avg. 75 dB (A)	40.6 (Jan.20)	48.7 (Oct.19)	Night Time Avg. 70 dB (A)			
5	Wharf Canteen	56.5 (Oct. 19)	64.4 (Feb. 20)		52.9 (Oct. 19)	56.7 (Dec.19)				
6	Container Yard	60.2 (Oct. 19)	66.2 (Feb. 20)		55.3 (Oct. 19)	59.6 (Jan.20)				

Verified by

S. SRI RENGANATHAN Technical Manager THE THE BY THE B

Authorized Signatory

P. KAVITHA Technical Manager



(Approved by AAI, AGMARK, APEDA, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA Phone: +91 44 22323163, 22311034, 42179490, 42179491 | CIN: U74999TN2008PTC069459

Email: test@mettexlab.com | Web: www.mettexlab.com

## Table No. :-5.2 Marine Sludge Quality monitoring

S. No.	7	8	9	10	11	12
Location	Location 2500 West of baseline Baseline and north of		2500 West of baseline and 1000m north of CIL	800 m West Of baseline 1000m South of CIL	2500 m West Of baseline 1000m South of CIL	At Dumping Area
Water Content	43.6	44.1	43.7	43.7	44.1	43.7
Bulk Density	3.2	3.2	3.0	3.1	3.1	3.2
Dry Density	1.8	1.8	1.7	1.8	. 1.7	1.8
Specific Gravity	1.7	1.7	1.7	1.7	1.7	1.7
		Par	rticle Size Distribu	tion	Dimer	•
Gravel (□) <sup>5</sup>	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
Sand (□)	7.6	7.6	6.8	6.4	7.4	6.4
Silt (□) 86.6 85.2		85.2	85.0	84.8	84.8	
Clay (□)	5.6	7.2	8.0	8.6	7.8	8.4

Verified by

S. SRI RENGANATHAN
Technical Manager

COP THE LIEUTEN CONTRACTOR OF THE PARTY OF T

**Authorized Signatory** 

P. KAVITHA Technical Manager

Chennal Mettex Lab Private Limited