NEW MANGALORE PORT AUTHORITY

DEPARTMENT OF CIVIL ENGINEERING MAINTENANCE DIVISION-II QUOTATION No.21/101/MTC-II/2023-TS dated 25.10.2023

Sealed quotations are invited with EMD on percentage rate basis from the Contractors having ESI, PF and GST Registration for the following work.

Name of work

: Shelter for scanners by providing aluminium

partition at KK gate and SJ gate

Amount put to quotation: Rs.1,63,853.71

EMD Rs.

: Rs.3,900.00

Date of opening

: 27.10.2023

Completion Period

: 15 days

The quotation shall be dropped in the tender box placed in A.O. building Annexure block ground floor (Next to PRO office) on or before 3.00P.M on 27.10.2023 and will be opened at 3.30 P.M on the same day in the presence of the quotationer or their authorised representatives. The estimate, Plan, specification and other particulars to be furnished may be seen in this office on any day during working hours.

The Contractor shall quote the percentage rate in figures as well as in words clearly in the enclosed BOQ. The percentage rate quoted shall be inclusive of labour, material, tool and plants etc. complete. GST will be reimbursed as applicable. Payment will be made after satisfactory completion of work and applicable taxes will be recovered from the bill.

The EMD shall be paid through RTGS/NEFT to the following bank details in favour of the FA&CAO, NMPA. The copy of receipt shall be enclosed along with the quotation. The benefit of exemption of EMD to all Micro and Small Enterprises (MSE) shall be allowed. The proof of being MSE registered with District Industries Center (DIC) shall be enclosed. The quotation without copy of receipt of RTGS/NEFT/Certificate will not be entertained.

NMPA Bank Details:

Name of the Bank: State Bank of India, Panambur, Mangalore - 575010

Bank A/c No.: 10205649448, IFSC Code: SBIN0002249,

MICR Code: 575002011

The offer submitted should be open for acceptance for a period of 90 days from the date of opening the same. In the event of contractor backing out before the expiry of 90 days from the date of opening the offer or fails to adhere to the conditions stipulated herein and in the contract for on which the offer is deemed to have been submitted the EMD of the said firm will be forfeited to the New Mangalore Port Authority. The successful Contractor shall submit a firm bill in duplicate to make necessary payment after satisfactory completion of the work.

> Šhashikanth P. Kodi **Executive Engineer** Maintenance Division -II

And the second of the second of

mental and a fixed

i de la completa del completa de la completa del completa de la completa del la completa de la completa della completa de la completa della c

And Giffer Compagnition of the compagnition of a first compagnition of the compagnition of th

4 L 4 L 2

NEW MANGALORE PORT AUTHORITY

DEPARTMENT OF CIVIL ENGINEERING MAINTENANCE DIVISION-II QUOTATION No.21/101/MTC-II/2023-TS dated 25.10.2023

BILL OF QUANTITIES

Name of work: Shelter for scanners by providing aluminium partition at KK gate and SJ gate

| and SJ gate | | | | | |
|-------------|--|-------|------|-----------------|---|
| Item No | Description of items | Qty | Unit | Rate in Figures | Amount Rs. Ps. |
| 1 | KSRB 7.15: Providing, fabricating, assembling and fixing in position anodized aluminium partitions using aluminium sections of mat finish or glassy finish in | 40.59 | Sqm | 4036.80 | 1,63,853.71 |
| | combination of plain grove, single grove and double grove as per requirements for the frames of overall size 63.5mm x 38.1mm with thickness of 2mm. having | | | | |
| | section weight, plain sections 1.054kg/m, single grove thickness 1.95mm section weight 1.094kg/m double grove thickness 1.9mm section weight | | | | |
| r_=1; | 1.094kg/m and bottom member 114.3 mm x 44.45mm thickness 3.18mm weight 2.646 kg/m; | | | e ver | 7.1 = * |
| | aluminium louvres section of size 36.5mmx34.93mm 1.45mm. thick section weight 0.429kg/m; bottom portions provided with 12mm. thick prelaminated sheet | | | | |
| | both sides of approved colour lamination exterior grade upto 0.9m height, spacing of vertical member not exceeding 0.6 m. c to | | | | 42 × 12 × 12 × 12 × 12 × 12 × 12 × 12 × |
| | c; sections are cut to the required lengths, joints mitered and corners grinded subdividing frames tennoned and rivetted to the frames; the assembled frame | | | | |
| | stiffened with corner angles, stripped and fixed with screws, rawl plugs and teak wood gutties to R.C.C. columns on sides, R.C.C. lintels or beams at top and floor at bottom, including cutting chiseling and making good with cement mortar to match the | | | | |

| | | | | r | | | | |
|-------------|--------------------------------------|-----------|-------------|----------------|-------------|--|--|--|
| | surface; providing and fixing | | Y X | -1 | | | | |
| | 5.5mm thick plain glass for | r Jag 1 | | ii " | | | | |
| | middle portion viz., 0.9m to 2.13 | 14.1 | 2.89 | 2 | | | | |
| | m. and top panel with louvres | | | | | | | |
| | sections; the glass and panels | | | | | | | |
| | fitted with glazing clips of 19mm | | | | | | | |
| | x17.3mm of thickness 0.9mm. | | | Control of the | The same of | | | |
| | weight 0.124kg/m, aluminium | 1 | | · | | | | |
| -111 | sections treated for removal of | | 8.43 | = | , with 14 K | | | |
| 7 | any rust and prevention of | | | | | | | |
| 7.50 | further rust formation, coated | , =" f | gar in | v (| - | | | |
| | with greasy materials for non- | 1- | | | | | | |
| | adherence of mortars or any | | 5 | | | | | |
| | other sticky materials; vertical | | | , | 1 | | | |
| | members embedded in the | a vi | - 1-3 | | ,- 15. | | | |
| | flooring by making suitable sized | | * | p | - | | | |
| 9 | holes and fixing with cement | 81 5 | | , , , | | | | |
| | mortar, with necessary opening | | | | | | | |
| | for fixing of door of standard size | | inge e | , '- ' | | | | |
| | (excluding cost of door) all the | - | | | | | | |
| | frame throughly cleaned, free | | | 4-1 | | | | |
| | from rust, scale or dirt including | b | | (1) (1) | i . | | | |
| | cost of materials, fixtures, labour | | er en | n I - 5 ' | , 1 | | | |
| | and HOM of machinery complete | | gest. | 1, 1 110 | | | | |
| ¥ | as per specifications using | e Your di | 200 - E. 12 | P 1 - 1,51 | ==== | | | |
| - ' | aluminium section anolized to 12- | b 1 - | ep-1 Ly | 11454 | | | | |
| | 15 microns | -1 -3 | 12.1.15 | at more in | | | | |
| | Estimate amount put to quotal | ion (exc | luding | GST) Rs.: | 1,63,853.71 | | | |
| ADD: | % (| | | palar, ber | - 1.5 | | | |
| Above | the estimate amount put to quotation | on | | Rs.: | | | | |
| DEDUCT: % (| | | | | | | | |
| Below | | | | | | | | |
| | | | | | | | | |
| Rupees | | | | | | | | |
| | | | | | | | | |
| | | | | | 2007 | | | |

Note: GST will be reimbursed as applicable

SIGNATURE OF THE CONTRACTOR